

December 22, 2025

A meeting of the Town Board of the Town of Aurora took place on Monday, December 22, 2025, beginning at 11:00 a.m. The Board met in-person at the Aurora Municipal Center, 575 Oakwood Avenue, East Aurora, New York. The meeting was streamed via YouTube.

Present:	Joseph McCann	Councilmember
	Raymond M. Wrazen	Councilmember
	Jessica Armbrust	Councilmember
	Charles D. Snyder	Supervisor
	Luke Wochensky	Councilmember
Others Present:	Brigid Maloney	Town Attorney
	Elizabeth Cassidy	Code Enforcement Officer
	David Gunner	Highway Superintendent
	Chris Musshafen	Recreation Director
	Donna Bodekor	Senior Center Director
	Patrick Welch	Chief of Police
	Paul Ernst	Zoning Board Chairman
	Rod Simeone	Zoning Board Member
	Doug Crow	Planning Board Chairman

Supervisor Snyder opened the meeting at 11:00 p.m. with the recitation of the Pledge of Allegiance to the Flag.

Supervisor Snyder read the following PROCLAMATION of appreciation to Town Clerk Martha L. Librock for more than 35 years of service to the Town of Aurora and community:

Whereas, Martha L. Librock was appointed Deputy Town Clerk in 1990 and elected Town Clerk in 1998; and

Whereas, she is one of the longest-serving town clerks in our region; and

Whereas, her dedication has been recognized by her peers both in the region and state wide, and in 2011, after meeting stringent educational and experience requirements, she was awarded the New York State Town Clerks Association's prestigious Registered Municipal Clerk designation; and

Whereas, Martha L. Librock has successfully guided the Aurora Town Clerk's Office (and town government) through several transitions, including the introduction of a town website, the consolidation of the Tax Receiver's Office into the Town Clerk's Office, and the re-location of the Town Hall – not once, but twice – in 2012 and 2020; and

Whereas, Martha Librock has always been willing to go above and beyond the duties of Town Clerk to ensure the smooth operation of the town, including leading many aspects of the day-to-day operations of the Municipal Center; and

Whereas, Martha's experience and knowledge have immensely guided Town Boards and Town Supervisors over the past three decades, and her professionalism and commitment to serving all Town of Aurora residents equitably has made the Town of Aurora a much better place.

Now, Therefore, on behalf of the residents of the Town of Aurora, we do hereby make this public proclamation of thanks and commendation to Martha L. Librock for her more than three decades of service to the Town of Aurora and our region, with best wishes upon her retirement from the position.

Signed and entered into the record of the Aurora Town Board
on this Twenty-Second Day of December,
in the Year Two-Thousand Twenty Four

Charles D. Snyder

Aurora Town Supervisor

* * * * *

The next item was a Public Hearing on an Open Development Area application for 1073 Davis Road, West Falls, NY. Supervisor Snyder opened the hearing at 11:04 a.m. and asked if anyone wished to comment on the local law. Hearing no one, the Supervisor closed the hearing at 11:05 a.m.

Councilmember McCann moved to approve the consent agenda including the December 8, 2025 Town Board meeting minutes; the December 16, 2025 Town Board work session minutes; and the December 22, 2025 Abstract of Claims, consisting of vouchers 1647 to 1720, to be paid from the following funds:

General	\$ 33,833.62
Part Town	1,000.00
Highway/DB	26,955.58
Capital H7/Bridges	34,141.66
Trust & Agency	284.86
Special Districts	<u>\$ 57,080.19</u>
Grand Total Abstract	\$153,295.91

Action #395
12/8 &
12/16 Twn
Brd minutes
& 12/22
abstract
aprvd

Councilmember Armbrust seconded the motion. Upon a vote being taken:
ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

AUDIENCE I: none

UNFINISHED BUSINESS:

Councilman Wrazen moved to adopt the following Local Law; seconded by Councilman McCann:

**TOWN OF AURORA
LOCAL LAW 6 – 2025**

A LOCAL LAW, TO AMEND LOCAL LAW 1-1990 KNOWN AS THE CODES OF THE TOWN OF AURORA, ADOPTED BY THE TOWN BOARD OF THE TOWN OF AURORA ON JANUARY 22, 1990, BY AMENDING CHAPTER 116 TO ADD AN ARTICLE TO PROVIDE REGULATIONS WHICH WILL PROTECT THE HEALTH, SAFETY AND WELFARE OF THE GENERAL PUBLIC THROUGH PROPER REVIEW OF OUTDOOR LIGHTING.

BE IT ENACTED BY THE TOWN BOARD OF THE TOWN OF AURORA AS FOLLOWS:

SECTION 1. LEGISLATIVE INTENT.

This Local Law amends a prior Local Law known as The Codes of the Town of Aurora, adopted by the Town of Aurora on January 22, 1990, as amended, relating to the administrative, legislative and general legislation of the Codes within the Town of Aurora as herein set forth. This legislation amends and adds a new Outdoor Lighting Code to Chapter 116.

SECTION 2. AUTHORITY.

This moratorium is enacted by the Town Board pursuant to its authority under the New York State Constitution Article IX and NYS Municipal Home Rule Law §10.

SECTION 3. CHAPTER 116, ARTICLE XII

Chapter 116 is amended by adding and adopting as follows:

ARTICLE XII

§116-96 Purpose and Intent.

The purpose of this local law is to provide regulations which will protect the health, safety and welfare of the general public, conserve valuable energy resources, prevent light trespass from interfering with quality of life, protect ecological and natural resources, and preserve the ability to view the celestial features of the night sky for present and future generations. By this legislation, the Town Board establishes provisions and a process for review so that outdoor lighting that is protective of the environment is installed on all new construction and is used when current outdoor lighting fixtures that are not in compliance with this article need replacement. These standards provide for the following:

- A. Comprehensive regulations and guidelines in order for residents, business owners, and the municipality to comply with the standards set by the community for outdoor lighting.
- B. Preservation of rural character, aesthetic value, and the unique quality of life enjoyed by Town residents by preserving and enhancing the ability to view the night sky.

- C. Advancement of sound environmental policies which will benefit residents and serve as a positive example.
- D. Proper direction and use of light in order to minimize light trespass, and energy wasted on unnecessary and indiscriminate illumination.
- E. Elimination of the need for commercial establishments to compete for visual attention by escalating outdoor lighting levels.
- F. Reduction in excessive illumination which can have a detrimental effect on flora and fauna that depend on the natural cycle of day and night for survival.
- G. Reduction in excessive illumination which can impact human circadian rhythm and health.
- H. Prevention of nuisances caused by unnecessary light intensity, and light trespass.
- I. Reasonable implementation of lighting changes to minimize impact on existing properties.

§116-97 Definitions.

As used in this article, the following terms shall have the meanings indicated;

AVERAGE FOOTCANDLES

The average level of illuminance for a given area measured at ground level with a light meter placed parallel to the ground.

COMMERCIAL LIGHTING

Any outdoor lighting intended for use on a lot with a business (except home occupation), industrial, or institutional use (or if undeveloped, is zoned for such use). Municipal buildings and facilities shall follow commercial standards.

ESSENTIAL LIGHTING

Light used for a specified period of time that is necessary for a specific purpose, as defined herein, while said purpose is actively being served. This includes fully shielded lighting that is necessary to promote location identification, identify entrances and exits for public circulation, to illuminate walkways in order to promote public safety, and fully shielded security lighting activated by motion sensors and/or timers providing for illumination for a maximum period of 10 minutes per triggering event.

EXCESSIVE LIGHTING

Light that exceeds the amount that is needed to perform a visual task at night or is required for safety, per suggested minimum illuminance levels published by IES in its Recommended Practices.

LIGHT FIXTURE

The complete lighting assembly that houses the lamp or lamps and can include all or some of the following parts: a housing, a mounting bracket or pole socket, a lamp holder, a ballast, a reflector or mirror, and/or a refractor or lens; also referred to as a “luminaire.”

FLOOD-OR SPOTLIGHT

Any light fixture or lamp that incorporates a reflector, a refractor, or a prismatic lens to concentrate the light output into a directed beam in a particular direction.

FLUORESCENT

A type of discharge lamp that employs mercury vapor and phosphors. Unlike incandescent lamps, fluorescent lamps require a ballast to regulate the flow of electricity.

FOOTCANDLE

The unit of measurement used to quantify the amount of light falling on a surface. One footcandle is the illuminance produced by a candle on a surface one-foot square from a distance of one foot.


FULL-CUTOFF

For the purposes of this article, a “full-cutoff fixture” is considered one that delivers 100% of the total lumens within the 0° to 90° zone with a maximum of 10% of total lumens delivered within the 80° to 90° zone. Full-cutoff fixtures are considered fully shielded. See Figure 1.

FULLY SHIELDED

A fixture constructed and installed in a fixed position and in such a manner that all light emitted is projected below the horizontal plane through the fixture’s lowest light-emitting part. Unlike a full-cutoff fixture, a fully shielded fixture is not engineered to limit lumen distribution in the 80° to 90° zone. See Figure 1

Figure 1



HIGH-INTENSITY DISCHARGE (HID) LIGHTING

An energy-efficient family of lighting that includes high-pressure sodium, mercury vapor, and metal-halide-type bulbs. These types require a warmup time, usually require a ballast exclusive to the light source, and have a higher lumen output per watt than incandescent or halogen lamps.

HOLIDAY LIGHTING

Temporary lighting of various types and colors installed in connection with holiday or religious observances and removed thereafter. Certain holiday lighting displays may require a Special Event Permit through the Town Board as per Town Code § 95-C.

ILLUMINANCE

The amount of light falling on a surface, measure in footcandles (lumens per square foot).

LAMP

A light bulb or other component of a fixture that changes electricity into visible light.

LAMP TYPE

The category to which a lamp belongs by virtue of the process by which it produces light. The principal categories are incandescent, fluorescent, low-pressure sodium, high-intensity discharge (HID) (which includes high-pressure sodium, metal halide, and mercury vapor), and LED (light-emitting diode). The categories vary in terms of:

- A. The amount of light output (lumens) per watt consumed;
- B. Lamp life;
- C. The color of the light emitted (Correlated Color Temperature); and
- D. The accuracy with which colors of an illuminated object are reproduced (Color Rendering Index).

LED (LIGHT-EMITTING DIODE)

A semiconductor device that emits visible light when electrical current passes through it.

LIGHTING

Man-made illumination or equipment used to produce it.

LIGHT LEVEL

The illuminance as measured by a light meter or reported in photometric calculations. Light levels are indicated in footcandle measurements and may also be expressed as uniformity ratios, maximum or average to minimum.

LIGHT POLLUTION

Any adverse effect of artificial light including, but not limited, glare, light trespass, skyglow, visual clutter, excessive or unnecessary lighting, or any artificial light that unnecessarily diminishes the ability to view the night sky or is disruptive to the natural environment.

LIGHT SOURCE

The light-emitting part or parts of a light fixture, consisting of the lamp or lamps and any transparent or translucent covering over the lamp, as well as any refractors, reflectors prismatic lenses, mirrors, or diffusers which emit or transmit light.

LIGHT TRESPASS

Light projected onto a property or into the public right-of-way from a light source on a different property.

LOW-PRESSURE SODIUM

A type of discharge lamp that primarily employs sodium. These lamps have a higher lumen output per watt than HID lamps but low Color Rendering Index.

LUMEN

The unit of measurement used to quantify the amount of light produced by a lamp or emitted from a fixture (as distinct from “watt,” which is a unit of measurement of electrical power). For the purposes of this article, measurements in lumens shall refer to “initial lamp lumens” (as opposed to “maintained lamp lumens”) as rated by the manufacturer when the lamp is new as listed on the packaging.

LUMINAIRE

See “fixture.”

MERCURY VAPOR

A type of high-intensity discharge lamp that uses mercury as the primary light-producing element. Mercury vapor lamps produce light with a cool Correlated Color Temperature (CCT) from 3000 to 7000 K.

METAL HALIDE

A type of high-intensity discharge lamp that uses mercury and several halide additives as light-producing elements. Metal halide lamps are typically available with cool Correlated Color Temperatures (CCT) from 2300 to 5400 K and with CRT values from 60 to 93.

MOUNTAIN HEIGHT

The vertical distance measured from the average elevation of the existing natural grade or average elevation of the approved grade (if cut/fill activities are proposed) to the lowest light-emitting part of an installed fixture.

NON-CONFORMING

Lighting which does not meet the requirements and specifications contained in this article.

NONESSENTIAL LIGHTING

Lighting which is unnecessary for pedestrian passage or other tasks and therefore not generally useful (i.e. decorative and landscape lighting). This includes lighting intended for a specific task or purpose when said task or purpose is not being actively performed (i.e. parking lot illumination and wall mounted perimeter lights after business hours).

NUISANCE LIGHTING

Any outdoor lighting that creates a potential hazard to the public, illuminates the interior of a neighboring residential structure from an external point, or creates a light trespass or glare to neighboring properties, thereby causing loss of enjoyment, comfort, or repose.

OUTDOOR LIGHTING

Lighting that provides illumination to a surface, building, structure, device, or other outdoor feature. Any fixture located indoors that is intended to illuminate something outdoors is considered outdoor lighting for the purposes of this article.

PHOTOMETRIC(S) OR PHOTOMETRY

A test to determine light distribution and performance of a fixture. A photometric report, which may include candlepower distribution data, cutoff or other light distribution classification, foot candle chart, etc., is generally available from the manufacturer.

REPAIR

Any service normally provided by an electrician to a light fixture or lighting installation, including replacement, modification, or relocation of any of the following: Poles, mounting arms,

wiring, housings, or any component within or attached to a light fixture. Replacement of a user-serviceable lamp (i.e. light bulb) shall not by itself be considered a repair.

RESIDENTIAL LIGHTING

Any outdoor lighting on a lot having a structure or structures whose primary use is residential (or if undeveloped, is zoned for such use). Although reviewed as a commercial site plan, lighting plans for multifamily or condominium developments shall follow residential standards.

SEARCHLIGHT

Lighting designed to project a high-intensity beam of light that is typically used to sweep the sky for promotional purposes.

SENSOR (MOTION)

A device that causes a light fixture to turn on or off in response to motion or light or infrared radiation or a combination thereof.

SHIELD OR SHIELDED

An opaque device that is attached to a light fixture to prevent light from being emitted in certain directions. Auxiliary “back” or “house-side” shielding added to an already fully shielded fixture can help limit trespass where a fixture is located near the property line.

STREETLIGHTING

Permanent outdoor lighting that is owned and maintained by a municipality or other public agency and that is specifically intended to illuminate streets for automotive vehicles and may also incidentally light sidewalks and private property.

TEMPORARY LIGHTING

Lighting which is intended to be used for a specified purpose and for a limited time and is removed thereafter.

TOWN

The Town of Aurora and its employees, officers, or agents, including any board committee, council, or department of the Town created by law or by the Town Board or by the Town Supervisor, the expenses of which are paid in whole or in part from Town Funds.

UL RATING

A reference to “Underwriters Laboratory,” a commercial agency that certifies the maximum safe wattage for fixtures and other electrical devices. A UL label indicating the maximum safe wattage is affixed or imprinted on all light fixtures which are offered for sale.

UNIFORMITY RATIO

A ratio that describes uniformity of illuminance across an area. The uniformity ratio may be a ratio of the maximum to minimum illuminance or the average to minimum illuminance.

UNSHIELDED

A fixture designed or installed so that it is not fully shielded, i.e. emits light above the lowest light-emitting part of the fixture.

WATT

The standard unit of measurement of electrical power. One watt is one ampere of current flowing at one volt.

§116-98 Applicability.

- A. New lighting. All outdoor lighting newly installed after the effective date of this article shall comply with its provisions.
- B. Preexisting lighting. All properties with legally existing and operative outdoor lighting, at the effective date of this article shall be exempt from compliance, subject to the provisions below.
 1. Any outdoor lighting fixture that is replaced, changed, repaired, or relocated, in whole or in part, after the effective date of this article shall comply with its provisions.
 - a. Commercial and Residential lighting. Subsequent to the effective date of this article, any addition or expansion that is made to a property, shall subject said addition or expansion to the provisions of this article. Existing lighting may remain in place unless specified by New York State Uniform Code requirements.

2. Nuisance lighting. The exemption shall not apply if the Town determines that certain outdoor lighting creates nuisance lighting as defined in §116-97. If the Town determines that nuisance lighting exists on a property, that lighting shall comply with Subsection B(3) below, in accordance with the procedures outlined in §116-104B.
 - a. Light trespass shall be considered nuisance lighting when:
 - i. Illuminance at or beyond a property line abutting a residential or open space parcel exceeds 2 footcandles as measurable from any orientation of the measuring device; or
 - ii. Illuminance at or beyond a property line abutting a commercial property or public right-of-way exceeds 5 footcandles as measurable from any orientation of the measuring device; or
 - b. Light shall be considered a nuisance when such light illuminates the interior of a neighboring residential structure from an external point.
3. Abatement of nuisance lighting. If the Town determines nuisance lighting exists on a property, that lighting shall comply with either section below in accordance with the procedures outlined in §116-104B.
 - a. To the extent that the abatement of nuisance lighting will require re-aiming a fixture or re-lamping to reduce lumen output, such lighting shall be re-aimed and/or re-lamped so that the light source is not visible across property lines.
 - b. To the extent that the abatement of nuisance lighting will require removing, replacing, shielding, retrofitting, or relocating a fixture, such lighting shall be removed, replaced, shielded, retrofitted, or relocated so that the light source is not visible across property lines.
4. Hours of operation. Preexisting lighting on both residential and commercial properties shall comply with the limits on hours of operation set forth in §§116-101D and 116-102D of this article.
5. Streetlighting. No new light fixture (other than municipal streetlighting) shall be installed on a public utility pole after the effective date of this article.
- C. Use. Lighting plans and installations shall continue to be reviewed by the Town based on the use of a property and with due regard to the underlying zoning district as well as potential impacts to existing adjacent uses.
- D. Other laws.
 1. In the case where this article is found to be in conflict with another provision of local law, the provision that is the more restrictive, or that which establishes the higher standard, shall prevail.
 2. Sign lighting. Illumination of signs shall be governed by §116-34 of this Chapter and any amendments thereto.
 3. Special events. Outdoor lighting for special events shall be governed by Chapter 95-C (Special Events) of this Code and any amendments thereto.
- E. Other jurisdictions. Federal, state, county agencies, and school districts with facilities located within the Town are urged to comply with the provisions of this article except where doing so would conflict with established regulations.

§116-99 Exempt and Prohibited Outdoor Lighting.

- A. Exempt outdoor lighting. The following are exempt from the provisions of this article:
 1. All temporary emergency lighting determined to be necessary by the Chief of Police, Chief of Fire Department, Superintendent of Highways, or other firefighting or emergency service providers.
 2. Lighting used in municipal road construction or emergency repair or maintenance of utility lines, sewer, water mains or similar public infrastructure.
 3. Holiday lighting, as defined in §116-97.
 4. Flag uplighting, provided any such flag is not used for advertising purposes and the light source is not visible across property lines or from roadways.
 5. Lighting for radio and communication towers, provided that the owner or occupant demonstrates to the satisfaction of the Town Board that the Federal Aviation Administration (FAA) regulations can only be met through the use of lighting that does not comply with this article, and that the provisions of this article are otherwise met to the fullest extent possible. Lighting for any wireless communications facility shall not be permitted unless required by the FAA: in which case, required lighting shall be of the lowest allowed intensity, unless specifically forbidden by the FAA.
- B. Prohibited outdoor lighting. The following outdoor lighting shall not be permitted within the Town as of the effective date of this article, except as exempt above:
 1. Lighting used to illuminate a property other than that on which the fixture is located.
 2. Searchlights, except those used for governmental or emergency purposes.
 3. Strobe lights and laser lights, including laser light shows and aerial laser lights.

4. Neon lights
5. Fixtures that revolve or create blinking, flickering, scrolling, rotating, pulsating or tracing light, including on signs, exclusive of exempt holiday lighting.
6. Flashing lights.
7. Any type of lighting used to outline all or part of a building (i.e., a window, roof, or gable), except for fully recessed soffit lighting that otherwise complies with this article.
8. Any light fixture that may be construed as or confused with a traffic signal or traffic control device.
9. Lighting that is determined by municipal law enforcement to contribute to a condition of disabling or distracting glare into a public roadway.
10. Mercury vapor (MV) lamps.

§116-100 General Standards for all Outdoor Lighting Installations.


- A. All new or replacement outdoor lighting shall be designed, located, aimed, directed, and maintained in order to prevent the following:
1. Nuisance lighting.
 2. Excessive lighting and energy consumption.
 3. Light trespass.
 4. Interference with pedestrian or vehicular travel on streets, roadways, and highways.

§116-101 Residential Lighting Standards.

All residential and multi-family residential properties shall comply with the requirements of the New York State Uniform Code and the following standards:

- A. Nuisance prevention. Outdoor lighting on residential properties shall be designed and installed so that all light which is emitted by any outdoor light fixture shall not shine on or illuminate any neighboring property. No outdoor lighting shall be maintained or operated in such a manner so as to be nuisance lighting, as defined in §116-97.
- B. Shielding. All outdoor lighting fixtures shall be fully shielded and aimed straight downward, with the following exceptions:
1. Outdoor lighting fixtures with total light output of 600 lumens (40 watts incandescent equivalent or less) are exempt from the shielding and aiming requirement above.
 2. Unshielded outdoor lighting fixtures operated by motion sensors are permitted, provided that:
 - i. The fixture is set to go on only when activated and to go off within ten minutes after activation has ceased; and
 - ii. The sensor shall not be triggered by activity off the property; and
 - iii. The output per fixture does not exceed 1,800 lumens (100 watts incandescent).
 3. Unshielded floodlights not exceeding 1,800 lumens (100 watts incandescent) are permitted, provided they are aimed no higher than 45° , as shown in Figure 2, and do not cause nuisance lighting, as defined in §116-97.

Figure 2



4. Driveway lighting. Unshielded lighting fixtures installed in or on a pillar or post at the foot of a driveway may not exceed 250 lumens (25 watts incandescent) per pillar/post.
- C. Mounting height.
1. The mounting height of a light fixture attached to any structure shall not exceed 12 feet from the lowest light-emitting point on the fixture to the area to be lit directly

- below the fixture, except for fully recessed soffit lighting that otherwise complies with this article.
- 2. The mounting height of any freestanding light fixture shall not exceed 10 feet, and when located in the side and/or rear yards, shall have a minimum 10' setback from lot lines.
- D. Hours of operation. Automated shutoff controls for outdoor lighting are encouraged to conserve energy, to extinguish lighting that is not needed for safety, and to alleviate nuisance lighting.
 - 1. Nonessential outdoor lighting shall not remain on continuously from 10:00pm until dawn.
 - 2. Essential outdoor lighting sufficient for security purposes may be in operation continuously from 10:00pm until dawn, provided that illumination on the ground or on any vertical surface is not greater than 1 footcandle.
- E. No light fixture on a residential property shall have a total light output exceeding 2,600 lumens (150 watts incandescent).

§116-102 Commercial Lighting Standards.

Properties with commercial lighting, as defined in §116-97, shall comply with the New York State Uniform Code and the following standards.

- A. Nuisance prevention. Outdoor lighting on commercial properties shall be designed and installed so that all light that is emitted by any outdoor light fixture shall not shine on or illuminate any neighboring property. No outdoor lighting shall be maintained or operated in such a manner so as to be nuisance lighting as defined in §116-97.
- B. Shielding. Unless otherwise specified, all outdoor lighting fixtures shall be fully shielded and aimed straight downward.
- C. Mounting height.
 - 1. Building or structure. Outdoor lighting fixtures shall not be installed at a height greater than 12 feet from grade to the lowest light-emitting part of the fixture, except for fully recessed soffit lighting that otherwise complies with this article.
 - 2. Free-standing pole. Outdoor lighting fixtures shall not be installed at a height greater than 10 feet from the natural grade to the lowest light-emitting part and shall be setback a minimum of 10 feet from lot lines.
 - 3. Parking lot lighting.
 - i. Lighting fixtures shall not be installed at a height greater than 20'.
 - ii. Shall have full cutoff fixtures.
 - iii. Shall be setback a minimum of 20' from lot lines.
- D. Hours of operation.
 - 1. Nonessential outdoor lighting shall not remain on continuously from 10:00pm until dawn.
 - 2. Essential outdoor lighting in operation after the close of business shall be controlled by timers or motion sensors.
 - 3. The Town Board, upon the recommendation of the Planning Board, may establish hours of operation in connection with a lighting plan and may authorize specific lighting to remain on after the close of business.

§116-103 Procedures.

- A. Adding new or relocating outdoor lighting on commercial properties requires a site plan approval through the Town Board.
- B. New construction or additions on commercial properties. A comprehensive lighting plan for the site shall be reviewed and approved by the Town Board for outdoor lighting which is associated with new commercial construction, building expansion, and/or additions as specified in §116-98B(2). In any case where total light output will not exceed 4,000 lumens and where all outdoor lighting will be fully shielded, the Town Board may review the general specifications in an expedited fashion; in such case, full site plan renderings with footcandle measurements may not be required.
- C. All applications for proposed or required outdoor lighting submitted to the Town, including but not limited to site plan review, subdivision approvals, or building permits, shall include outdoor lighting plans, fixture and lighting control specifications and any additional documentation required in order for the reviewing entity to verify that the preexisting or proposed outdoor lighting conforms to the provisions of this article.
- D. The following items shall accompany a lighting plan submission for review and approval by the Town Board:
 - 1. A site plan complete with all existing and proposed structures, parking spaces building entrances, traffic areas (both vehicular and pedestrian), vegetation that might interfere with lighting, indicating with shading or highlighting all areas where

- pedestrians shall be walking or where pedestrians may come into conflict with vehicles.
2. A detailed lighting plan shall be submitted for review and approval for sites that will have a total lumen output of 4,000 or greater.
 - i. Footcandle measurements on a grid of the site showing readings in every five-foot square. The grid shall include the location and installed height of each existing and proposed fixture (i.e. pole -mounted lights, wall-mounted lights, and streetlights), and the overall light levels, in footcandles, on the entire site.
 - ii. The grid shall extend at least 20 feet beyond the site property lines, indicating the zoning of all adjacent properties to assure compliance with light trespass requirements.
 - iii. Photometric plans shall be prepared by the fixture manufacturer or a licensed professional architect, landscape architect, or engineer and shall provide calculation of average maintained footcandles, maximum and minimum footcandle readings, and the average-to-minimum and the maximum-to-minimum uniformity ratios.
 3. A description of each light fixture as depicted and identified on the site plan, including the manufacturer, model number, a photograph of the fixture, a manufacturer's catalog cut-sheet, a description of the cutoff characteristics of each fixture, light output in initial lumens, and lamp type verifying any compliance requirements specified within this article.
 4. Mounting height indicated with the distance to the nearest property line for each proposed and existing fixture, including pole foundation description.
 5. Shielding or glare reduction devices and all mounting details.
 6. Types of timing devices or motion sensor devices used to control the fixtures and a schedule of the proposed hours when each fixture will be operated.
 7. Total outdoor lamp lumens for all fixtures on the property, calculated at initial lumen output.
 8. A summary key table identifying the maximum, minimum, and average light levels in footcandles as well as uniformity ratios for all parking areas and walkways.
- E. When considering a site plan application, the Town Board may require the use of motion sensor devices to control lighting for illumination of a building entrance, recreation areas, parking areas, accessways or other such areas.
- F. A post-installation inspection conducted by a registered professional to verify compliance with the approved plan. The applicant shall submit a certification to the Building Department verifying that such an inspection was performed and that the installed system operates and is in conformance with the approved plan along with a manufacturer's cut-sheet/certification for the installed fixtures prior to the issuance of a certificate of occupancy.
- G. The Town shall have the right to conduct a post-installation inspection on any property with an approved lighting plan to verify compliance with the requirements of this article and, if appropriate, to require remedial action at the expense of the applicant.

§116-104 Prohibited acts; Penalties for offenses.

- A. It shall be unlawful for any person, firm, owner, tenant, person in possession, partnership, corporation, or other business entity (hereinafter referred to as "person and/or business entity") to install, alter, repair, move, equip, use or maintain or allow such installation of any outdoor lighting in violation of any of the provisions of this article or fail in any manner to comply with a notice, directive or order of the Code Enforcement Officer.
- B. If, after investigation, the Code Enforcement Officer finds that any provision of this article is being violated or nuisance lighting exists, notice shall be given by hand delivery, or by certified mail, return receipt requested and 1st class mail, of such violation to the owner and/or occupant of such premises, instructing that the violation or nuisance lighting must be abated with the time specified in the notice, or in absence thereof, within 30 days of the date of hand delivery or of the date of mailing of the notice. If the violation is not abated within said period, the Code Enforcement Officer may request the Town Board initiate actions and proceedings, either legal or equitable, to enjoin, restrain, or abate any violations of this article. Any costs incurred through abatement by the Town will be paid for by the owner or levied on the tax bill.
- C. Residential. Any person and/or business entity who violates this article, or any provision thereof, shall be guilty of a violation punishable by a penalty not to exceed \$250 per day of violation, or imprisonment not exceeding 15 days, or both for residential violations after the expiration of the abatement period provided in Subsection B, and each day shall constitute a separate offense for the purpose of calculating the penalty.

- D. Commercial. Any person and/or business entity who violates this article, or any provision thereof, shall be guilty of a violation punishable by a penalty not to exceed \$250 per day of violation, or imprisonment not exceeding 15 days, or both for commercial violations after the expiration of the abatement period provided in Subsection B, and each day shall constitute a separate offense for the purpose of calculating the penalty.

SECTION 4. SEVERABILITY.

The invalidity of any word, section, clause, paragraph, sentence, or part or provision of this Local Law shall not affect the validity of any other part of this Local Law which shall be given effect.

SECTION 5. EFFECTIVE DATE

This Local Law shall take effect immediately upon filing with the NYS Secretary of State.

Upon a roll call vote being taken:
Councilmember Wrazen – Aye
Councilmember Armbrust – Aye
Councilmember McCann – Aye
Supervisor Snyder – Aye

Action #396
LL 6-2025
adopted
(exterior
lighting code)

Ayes – four Noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)
* * * * *

Councilmember Armbrust moved to adopt the following resolution; seconded by Councilman Wrazen:

WHEREAS, on May 27, 2025, the Town Board of Aurora approved Local Law 5-2025, Establishing a Six-Month Moratorium on new applications for battery energy storage systems; and
WHEREAS, Local Law 5-2025 was filed with the NYS Department of State on June 9, 2025; and
WHEREAS, Section 6 of the Local Law states the term of the Moratorium may be extended for additional periods of up to six months each by resolution of the Town Board upon a finding of necessity for such extension; and
WHEREAS, a six (6) month extension is required on the Moratorium to allow more time for the Comprehensive Plan to be completed and adopted and a Local Law for battery energy storage systems to be completed and adopted.

NOW, THEREFORE, BE IT RESOLVED, that the Town Board approves
a six (6) month extension on the Moratorium, effective December 9 through
until June 9, 2026, in order to protect the health, safety, and welfare of the
residents of the Town of Aurora and to maintain the status quo with respect to
zoning code designations.

Action #397
Battery
energy
storage
moratorium
extended for
six months

Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

NEW BUSINESS:

Councilmember McCann moved to refer the Site Plan application for
50 Center Ridge Road, SBL#187.02-2-17, for the installation of a rooftop
solar system with a 32.190kW DC output consisting of 76 panels on a single
family dwelling, to the Planning Board for review and recommendation(s).
Councilmember Wrazen seconded the motion. Upon a vote being taken:
ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #398
Site Plan for
50 Center
Ridge
referred to
Planning Brd

Councilmember Wrazen moved to authorize Justice Court action for
Caryn Rowell (aka: Caryn Dujanovich), 558 Center St., E. Aurora, for an
expired building permit (Town Code Chapter 65-4(I). Councilmember
Armbrust seconded the motion. Upon a vote being taken: ayes – four
noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #399
Justice Court
action for 558
Center St
authorized

Councilmember Armbrust moved to authorize the Supervisor to sign the 2026 Professional Services Agreement with GHD Consulting Services, Inc. for: General Engineering retainer services – lump sum \$6,000 in monthly installments of \$500; Planning Support Services not to exceed \$10,000 annually; and General Municipal Support Services at fees to be determined. Councilmember McCann seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #400
Supv auth to
sign 2026
GHD services
agreement

Councilmember McCann moved to accept the following donations for the Aurora Senior Center, with funds being deposited to TA1000.0090 Senior Center donations:

- \$500 from Aktion Club of East Aurora
- \$100 from Buffalo Area Day Lily Society
- \$350 from Southtown Needlenuts

Councilmember Wrazen seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #401
3 monetary
donations to
SrCtr
accepted

Councilman Wrazen moved to approve the following Highway and Park budget transfers:

From: A7110.410 Parks fuel & oil \$449.48
To: A7110.444 Parks landscaping & supplies \$449.88

From: DB5112.433 Highway permanent improvement material \$9,321
To: DB5142.449 Highway winter material & supplies \$9,321

Councilmember Armbrust seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #402
Parks & Hwy
budget
transfers
aprvd

* * * * *

Councilmember Armbrust moved to approve the 2026 Recreation department pay rates effective 1/1/2026 when the NYS minimum wage increases from \$15.50 to \$16.00 per hour:

<u>Recreation:</u>	<u>Yr1</u>	<u>Yr2</u>	<u>Yr3</u>	<u>Yr4</u>	<u>Yr5</u>	<u>Yr6</u>
Recreation Attendants, Sports, Program Assistants, Day Camp, Tennis						
- Junior (HS)	16.50	16.75				
- Senior (other)	17.00	17.25	17.50	17.75	18.00	18.25
STAR/ Theater / Best of Broadway	17.00	17.25	17.50	17.75	18.00	18.25
Day Camp Counselors, Excl. Little, STAR, Track, Tennis (all College)	17.00	17.25	17.50	17.75	18.00	18.25
Day Camp Program Coordinator						
Hamlin Park	18.50	18.75	19.00	19.25	19.50	19.75
West Falls Park	20.00	20.25	20.50	20.75	21.00	21.25
Exclusively Little Teacher	18.25	18.50	18.75	19.00	19.25	19.50
Lifeguards	17.25	17.50	17.75	18.00	18.25	18.50
Certified Water Safety Instructors (only when teaching)	19.00	19.25	19.50	19.75	20.00	20.25
Head Lifeguard, Adult Supervisors Head Tennis Coach	18.50	18.75	19.00	19.25	19.50	19.75
Swim Lesson Coordinator, Facility Mgr.	19.25	19.50	19.75	20.00	20.25	20.50
EAST Coach	20.50	20.75	21.00	21.25	21.50	21.75

Councilmember McCann seconded the motion. Upon a vote being taken:
ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #403
Rec Dept pay
rate chart
aprvd

Councilmember Armbrust moved to approve the following rate
increases effective 1/1/2026 based on the approved 2026 Recreation Pay Rate
Chart:

<u>Name</u>	<u>Civil Service Title</u>	<u>Current Rate</u>	<u>New Rate</u>
Andres, Alexis	Lifeguard RPT/EAST Coach	\$20.50	\$21.00
Aubrecht, Johannes	Lifeguard PT	\$17.25	\$17.75
Aures, Kathryn	Rec. Attendant PT	\$18.35	\$18.10
Barone, Scarlett	Rec. Attendant PT	\$18.50	\$19.00
Berger, Matthew	Rec. Attendant PT	\$16.50	\$17.00
Bennett, Elijah	Rec. Attendant PT	\$16.25	\$16.75
Biggs, Oliver	Rec. Attendant RPT	\$19.00	\$19.50
Boersch, Owen	Rec. Attendant PT	\$16.75	\$17.25
Brinker, Anna	Lifeguard PT	\$17.00	\$17.25
Brinker, Mary	Lifeguard PT/East Coach	\$20.00	\$20.50
Carney, Deaglan	Rec. Attendant PT	\$16.75	\$17.25
Cassidy, Colin	Rec. Attendant PT	\$16.75	\$17.25
Chuddy, Aiden	Rec. Attendant PT	\$16.50	\$17.00
Collins, Ivan	Rec. Attendant PT	\$16.75	\$17.25
Cosgrove, Charlotte	Rec. Attendant PT	\$16.00	\$16.50
Davidson, Anna	Lifeguard RPT/EAST Coach	\$22.50	\$23.00
Dixon, Alissa	Rec. Attendant RPT	\$19.75	\$20.25
Donnarummo, Luke	Lifeguard PT/East Coach	\$19.75	\$20.25
Felton, Tess	Lifeguard PT/East Coach	\$21.75	\$22.25
Ferrera, Matthew	Rec. Attendant PT	\$17.00	\$17.50
Ferreira, Adelle	Lifeguard PT/WSI	\$17.25/18.75	\$17.75/19.25
Fowler, Tessa	Lifeguard PT	\$17.00	\$17.50
Fraser, Shane	Rec. Attendant PT	\$16.75	\$17.25
George, Elaine	Rec. Attendant PT	\$17.75	\$18.25
Gipe, Carter	Lifeguard PT	\$16.75	\$17.25
Giagalione, Zoe	Rec. Attendant PT	\$16.50	\$17.00
Giallanza, Laura	Rec. Attendant PT	\$16.50	\$17.00
Grubka, Addison	Lifeguard PT	\$17.25	\$17.75
Hulme, Paul	Lifeguard PT	\$17.00	\$17.50
Jetty, Abigail	Lifeguard PT	\$17.00	\$17.50
Kasubowski, Cassie	Lifeguard PT	\$17.50	\$18.00
Keohane, Taylor	Lifeguard PT	\$16.75	\$17.25
Krieger, Luke	Lifeguard PT	\$16.75	\$17.25
Kunz, Hailey	Rec. Attendant PT	\$16.00	\$16.50
Lucyshyn, Kira	Lifeguard PT	\$17.25	\$17.75
Marshall, Elliott	Lifeguard PT	\$17.50	\$18.00
Merrick, Emmett	Lifeguard PT	\$17.00	\$17.50
Montgomery, Nick	Rec. Attendant PT	\$17.75	\$18.25
Mruzik, Lillian	Lifeguard RPT	\$18.75	\$19.25
Nagy, Parker	Lifeguard PT	\$17.25	\$17.75
O’Leary, Emilia	Rec. Attendant PT	\$16.50	\$17.00
Osucha, Elizabeth	Lifeguard PT/EAST Coach	\$19.50	\$20.50
Patterson, Gianna	Lifeguard PT	\$17.00	\$17.50
Phillips, Katie	Lifeguard PT	\$16.75	\$17.25
Pietrantone, Owen	Lifeguard PT	\$16.75	\$17.25
Pratt, Samantha	Lifeguard PT/EAST Coach	\$20.25	\$20.75
Randall, Eddie	Lifeguard RPT	\$18.75	\$19.25
Roorbach, Nathan	Rec. Attendant PT	\$16.75	\$17.25
Sexton, Amelia	Rec. Attendant RPT	\$17.25	\$17.75
Stanz, Sarah	Rec. Attendant PT	\$16.75	\$17.25
Strzelec, Olivia	Lifeguard PT	\$17.00	\$17.50
Szmanski, Mason	Lifeguard PT	\$16.75	\$17.25
Thompson, Jamie	Rec. Attendant RPT	\$17.75	\$18.25

Tresmond, Jada	Rec. Attendant PT	\$16.75	\$17.25
Tunkey, Mila	Lifeguard PT	\$17.00	\$17.50
Valentine, Megan	Lifeguard PT	\$17.50	\$18.00
Valentine, Weston	Lifeguard PT	\$17.75	\$18.25
Valentine, Weston	WSI	\$19.25	\$19.75
Valentine, Weston	Head Lifeguard	\$18.00	\$18.50
Vanderbosch, Madelyn	Rec. Attendant PT	\$16.75	\$17.25
Wiedeman, Damian	Rec. Attendant PT	\$16.25	\$16.50
Wilber, Gregory	Lifeguard PT/WSI	\$17.50/19.00	\$18.00/19.50
Winfield, Jacob	Lifeguard PT	\$17.50	\$18.00
Winfield, Jacob	WSI	\$19.00	\$19.50
Winfield, Jacob	Head Lifeguard	\$18.00	\$18.50
Zagrobelny, Erin	Lifeguard PT/WSI	\$17.25/18.75	\$17.75/19.25
Ziegler, Ben	Rec. Attendant PT	\$16.25	\$16.75

PT=part time RPT=regular part time WSI - water safety instructor

Councilmember McCann seconded the motion. Upon a vote being taken:
ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #404
Rec Attendant
& Lifeguard
pay rate
increases
aprvd

Councilmember Armbrust moved to approve the following 2026 Recreation Summer Employee bonus rates and requirements that need to be met to earn a bonus:

Title	Bonus	Hrs/Wk	Wks/Season	Total Hrs	Bonus/hr	Max staff	Max cost
Facility Manager	\$600	40	11	440	\$1.36	1	\$600
Swim Lesson Coordinator	\$300	15	6	90	\$3.33	1	\$300
Camp Coordinator	\$400	35	7	245	\$1.63	2	\$800
Camp Counselor	\$300	35	7	245	\$1.22	8	\$2,400
Sports	\$150	20	7	140	\$1.07	4	\$600
Theater	\$ 75	7.5	4	30	\$2.50	2	\$150
Exclus. Little	\$150	12	4	48	\$3.13	2	\$300
Tennis Instructor	\$150	15	6	90	\$1.67	2	\$300
WSI	\$200	2 sessions				7	\$2,100
WSI	\$300	3 sessions					
Lifeguards		435	11	4785	\$1.00/hr	24	\$4,785.00

Total \$12,335.00

- Guard Example: 1 lifeguard works 20 hours each week for 11 weeks for a total of 220 hours times a bonus of \$1.00 per hour equals a maximum of \$220.00 bonus
- Employee must have obtained all required certifications by May 31, 2026 and certifications must be valid until August 7, 2026 for pool staff; June 29, 2026 until August 8, 2026 for park/playground staff
- Facility Manager, Head Guards and Lifeguards must work within 5 hours of their contracted hours per week from June 29, 2026 until August 7, 2026.
- Day Camp, Sport, and Theater staff must work their entire program season (first day of program through last day of program)
- Employee must attend all mandatory orientations, training, in-services, meetings, etc., during the pre-season, regular season and post-season.
- Employee must show up for all their shifts (entire length of shift) or find shift coverage if they are unable to attend. This is for all request-off types. If the department must find shift coverage or there is no coverage, the employee will not qualify for the bonus.
- Employee must have had no disciplinary action for the entire season, including but not limited to verbal, written, final or investigation.
- Employee must have completed sexual harassment training prior to the beginning of the season.
- Employees 18 years of age and older must have completed the background check release form prior to the start of the season. Employees turning 18 years of age during the season must complete the background check release form within one week of receiving an email from Metro-data Services

Employees contracted for less than 5 hours per week are not eligible for a bonus

Councilmember McCann seconded the motion. Upon a vote being taken:
ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)
* * * * *

Action #405
Summer Rec.
employee
bonus
schedule
aprvd.

Councilmember McCann moved to authorize the Supervisor to sign a Shared Municipal Services Agreement for Dog Control Services with the Town of Holland, whereby the Town of Aurora will perform dog control services for an annual rate of \$15,000. Additional fees of \$40 per night kennel fee and a \$75 impoundment fee will be collected directly from Holland residents. Councilmember Wrazen seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #406
Supv auth to
sign dog
control
agreement
with Holland

Councilmember Wrazen moved to authorize the Supervisor to sign a Shared Municipal Services Agreement for Dog Control Services with the Town of Sardinia, whereby the Town of Aurora will perform dog control services for an annual rate of \$10,000. Additional fees of \$40 per night kennel fee and a \$75 impoundment fee will be collected directly from Sardinia residents. Councilmember Armbrust seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #407
Supv auth to
sign dog
control
agreement
with Sardinia

Councilmember Armbrust moved to accept the resignation of Randy Taylor as Assistant Emergency Manager effective immediately. Councilmember McCann seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #408
Brd accepts
R. Taylor
resignation as
AEM

Councilmember Wrazen moved to appoint Dan Dytkowskyj, N. Willow St., East Aurora, NY, as Assistant Emergency Manager. Councilmember McCann seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #409
Dan
Dytkowskyj
appt assistant
emergency
manager

Councilmember Wrazen moved to extend all current Board and Committee appointments to the January 12, 2026 Organizational meeting. Councilmember Armbrust seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #410
Current Board
& Committee
appointments
extended to
1/12/2026

Councilmember Armbrust moved to appoint Jeanne Viger as Registrar (of Vital Statistics) for the term 1/1/2026 through 12/31/2028. Councilmember McCann seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #411
J. Viger appt
Registrar
1/1/2026 –
12/31/2028

Councilmember McCann moved to appoint Jeanne Viger as Water Clerk for the term 1/1/2026 through 12/31/2026. Councilmember Armbrust seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #412
J. Viger appt
water clerk
1/1/2026 –
12/31/2026

Town Clerk Elect Jeanne Viger is appointing Mary (Kit) Pitkin, Stephanie Meyer and Janis Colarusso as Deputy Town Clerks.

Councilmember Wrazen moved to approve the hourly payrates for the following effective 1/1/2026:

FT Deputy Town Clerk 1 – Mary (Kit) Pitkin	\$22.75/hour
FT Deputy Town Clerk 2 – Stephanie Meyer	\$22.75/hour
PT Deputy Town Clerk 3 – Janis Colarusso	\$20.00/hour

and to give a residency waiver for Janis Colarusso who is a resident of the town of Orchard Park, NY. Councilmember Armbrust seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #413
Deputy Town
Clerk pay
rates set for
2026

Councilmember Armbrust moved to approve the payout of unused Comp time for Elizabeth Cassidy in the amount of \$606 and for Richard Miga in the amount of \$1,301 and to approve the following budget amendment to fund the payout:

- Decrease appropriation line A1990 Contingent Account by \$1,907
- Increase appropriation line A3620.100 Code Enforcement Officer by \$606 (\$35.61 x 17 hours)
- Increase appropriation line A3620.103 Assistant Code Enforcement Officer by \$1,301 (\$30.60 x 42.5 hours)

Councilmember McCann seconded the motion. Upon a vote being taken: ayes – four noes – none Motion carried.
(Councilmember Wochensky was not present for this vote.)

Action #414
E. Cassidy &
R. Miga
Comp time
payout &
budget
amendment
aprvd

COMMUNICATIONS AND REPORTS:

Recreation Director – November 2025 report	Work Requisitions – November 2025 report
Senir Center – November 2025 report	Dog Control – November 2025 report
Building Dept. – November 2025 report	EAPD – November 2025 report

BUSINESS FROM BOARD MEMBERS/LIAISONS:

The Board members wished everyone Happy Holidays! Supervisor Snyder thanked everyone who helped with today's employee holiday luncheon.

AUDIENCE II: none

STAFF REPORTS:

Paul Ernst and Rod Simeone thanked Martha Librock for her many years of service to the Zoning Board of Appeals.

Donna Bodekor stated that the new movable wall is in and is operational and that they are very busy at the Senior Center.

Chris Musshafen stated that Recreation just finished a round of swim lessons and by transferring the credit card fees to the users, \$8,200 has been saved.

Liz Cassidy thanked Martha for her assistance over the years.

Police Chief Pat Welch stated that there were around 5,000 people at this year's Carolcade and he thanked Martha for all her cooperation with the EAPD.

Highway Superintendent Gunner thanked Martha and congratulated Jeanne Viger and her deputies. Mr. Gunner spoke at length about the bine his department is using for deicing the roads. He noted this is not fracking brine, but comes from a factory in Warsaw, NY.

Councilmember McCann moved to adjourn at 11:30 a.m. Seconded by Councilmember Wochensky . Upon a vote being taken: ayes – five noes - none Motion carried.

Action #415
Meeting
adjourned

Martha L. Librock, Town Clerk